

MULTIMEDIA UNIVERSITY

FINAL EXAMINATION

TRIMESTER 2, 2018/2019

EMT1016 – ENGINEERING MATHEMATICS I

(All Sections / Groups)

6 MARCH 2019 2.30p.m – 4.30p.m (2 Hours)

INSTRUCTIONS TO STUDENTS:

- 1. This exam paper consists of 4 pages (including cover page) with 4 Questions only.
- 2. Attempt all 4 questions. All questions carry equal marks and the distribution of marks for each question is given.
- 3. Please print all your answers in the Answer Booklet provided. Show all relevant steps to obtain maximum marks.

: 1

Question 1

- (a) Evaluate the following limits, if they exist.
 - (i) $\lim_{x \to -\infty} \frac{\sqrt{9x^2 2}}{x + 3}$ [4 marks]
 - (ii) $\lim_{x \to \infty} x^{\frac{1}{x}}$ [5 marks]
- (b) A function is given below:

$$f(x) = \begin{cases} 3-x, & 0 < x \le 3, \\ (x-3)^2, & x > 3. \end{cases}$$

- (i) Perform continuity test for f(x) at x = 3. Is f(x) continuous at x = 3?

 [5 marks]
- (ii) Sketch f(x). Does the inverse function exist for f(x)? Provide your justification. [3 marks]
- (c) Use partial fraction decomposition to find $\int \frac{1}{x(x^2-9)} dx$.

[8 marks]

Question 2

(a) Let $x^2 + z \sin(xyz) = 1$. Find $\frac{\partial z}{\partial x}$ and $\frac{\partial z}{\partial y}$ using **implicit differentiation**.

[6 marks]

- (b) The radius r (in cm), volume V (in cm³) and height h (in cm) of a right circular cylinder are related by the equation $V = \pi r^2 h$. Use **chain rule** to find $\frac{\partial V}{\partial t}$, which is the rate at which the volume is changing when the radius is 2cm and increasing at a rate of 0.4cm/min, and the height is 5cm and decreasing at a rate of 0.3 cm/min. [7 marks]
- (c) Let f(x, y, z) = x + y + 2z. Use the method of Lagrange multipliers to find the maxima and minima of f on the surface $x^2 + y^2 + z^2 = 3$.

[12 marks]

Continued...

YSC/KCC 2 /4

Question 3

; }

(a) Given a complex number z = 2 + i4. Find the real constants a and b that satisfy

$$\frac{z+\bar{z}}{\bar{z}-z}=a+ib.$$

[5 marks]

(b) Find all the four complex roots of the equation $z^4 - 8 - 8\sqrt{3}i = 0$.

[8 marks]

(c) Use the Maclaurin series $\sin x = \sum_{n=0}^{\infty} (-1)^n \frac{x^{2n+1}}{(2n+1)!}$ to expand $f(x) = x^3 \sin(2x)$. Then, give the first four terms.

[6 marks]

(d) Find the radius of convergence of the power series $\sum_{n=0}^{\infty} (-1)^n \frac{x^n}{(2n^2+3)}$.

[6 marks]

Question 4

- (a) Complete the following statements:
 - (i) Suppose g(x) and h(x) are periodic functions. If g(x) has a period of 4π and h(x) has a period of 6π , then g(x)+h(x) has a period of _____.
 - (ii) If g(x) is an even periodic function and h(x) is an odd periodic function, then the product $g(x) \cdot h(x)$ is an _____ periodic function.
 - (iii) The Fourier series

$$\frac{12}{\pi} \sum_{k=1}^{\infty} \frac{1}{2k-1} \sin \frac{(2k-1)\pi x}{6}$$

represents a periodic function that has a period of _____ and is symmetrical about the _____.

(iv) A Fourier series expansion of g(x) is guaranteed to converge to g(x) if are satisfied.

[5 marks]

Continued...

(b) A periodic function f(x) of **period 2** π is defined over $(-\pi, \pi]$ by

$$f(x) = \begin{cases} 0, & \text{if } -\pi < x \le 0, \\ 1, & \text{if } 0 < x \le \pi. \end{cases}$$

(i) Sketch the graph of f(x) from $x = -2\pi$ to $x = 2\pi$.

[4 marks]

(ii) Compute the Fourier coefficients (i.e., a_0 , a_n and b_n) of f(x). Then, write its Fourier series expansion.

[16 marks]

End of paper.